

Complete if Known

(Use as many sheets as necessary)

Application Number	09/626,347
Filing Date	July 26, 2000
First Named Inventor	DeHeer, et al.
Art Unit	2163
Examiner Name	Patrick A. Darnc
Attorney Docket Number	002566-016300

[illegible][illegible]

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

Complete if Known

Application Number	09/626,347
Filing Date	July 26, 2000
First Named Inventor	DeHeer, et al.
Art Unit	2163
Examiner Name	Patrick A. Darno
Attorney Docket Number	002566-016300

(Use as many sheets as necessary)

Sheet	2	of	2
-------	---	----	---

[illegible]

Examiner Signature	/Patrick Darno/	Date Considered	08/25/2008
-----------------------	-----------------	--------------------	------------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional) 2 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application to the USPTO. Time will vary depending upon the individual case. Any comments on the collection of information should be sent to the USPTO. For this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO:

Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.